
MBB-01 Miniature Force Transducers

FEATURES

- Nominal capacity:
0.5 N, 1 N, 2 N, 3 N, 5 N, 10 N and 20 N
- Full bridge strain gauges
- Built-in high-capacity overload protection
- Minute displacement
- High-strength aluminum alloy measuring spring
- Compact dimensions




DESCRIPTION

The Magtrol MBB-01 Miniature Force Transducer is designed for measuring very small positive and negative loads. Made entirely of aluminum for very high measurement stability, this transducer features built-in high-capacity overload protection.


APPLICATIONS

The small dimensions of the MBB-01 Transducer permit its adaptation to numerous small and precision applications, as well as long-term dynamic measurements.

SYSTEM CONFIGURATION OPTIONS




TECHNICAL RATINGS

	MBB-01-0.5	MBB-01-1	MBB-01-2	MBB-01-3	MBB-01-5	MBB-01-10	MBB-01-20
MECHANICAL CHARACTERISTICS							
Nominal Force	± 0.5 N	± 1 N	± 2 N	± 3 N	± 5 N	± 10 N	± 20 N
Overload Limit	5 N	5 N	50 N	50 N	50 N	50 N	100 N
Displacement at Nominal Force	≤ 0.05 mm	≤ 0.08 mm					
Angular Deviation of Ø 3H7 Hole at Nominal Force	≤ 0.005°						
ELECTRICAL CHARACTERISTICS							
Nominal Sensitivity	1 mV/V ±1%						
Input Impedance	1000 Ω to 1200 Ω			345 Ω to 450 Ω			
Output Impedance	1000 ±10 Ω			350 ±3 Ω			
Insulation Resistance	≥ 10 ⁹ Ω						
Supply Voltage	≤ 10 V DC/AC					≤ 12 V DC/AC	
Combined Error (nonlinearity + hysteresis)	≤ ± 0.1 %			≤ ± 0.05 %			
ENVIRONMENTAL CHARACTERISTICS							
Max. Relative Humidity (indoor conditions)	90%						
Protection Class	IP 42						
CONNECTION CABLE							
Shielded Cable Length	0.5 m						
Pin Connections:*	Color Code (according to DIN):			 Caution: The length of the cable attached to the MBB-01 Transducer should never be shortened. Doing so would remove the internal adjustment of the sensor.			
supply (+)	black						
supply (-)	blue						
signal (+)	red						
signal (-)	white						

* The shield is not connected on the transducer side.

DIMENSIONS



Due to the continual development of our products, we reserve the right to modify specifications without forewarning.



www.magtrol.com

MAGTROL INC

70 Gardenville Parkway
Buffalo, New York 14224 USA
Phone: +1 716 668 5555
Fax: +1 716 668 8705
E-mail: magtrol@magtrol.com

MAGTROL SA

Centre technologique Montena
1728 Rossens/Fribourg, Switzerland
Phone: +41 (0)26 407 3000
Fax: +41 (0)26 407 3001
E-mail: magtrol@magtrol.ch

Subsidiaries in:

Great Britain
Germany • France
China • India
Worldwide Network
of Sales Agents

